

Table of Contents

Declaration	I
Abstract	III
Zusammenfassung	V
Abbreviations	VII
List of Figures	XI
List of Tables	XII
1. Introduction	1
1.1 Pyrrolizidine alkaloids	1
1.2 Digestive system and the interrelation with PAs	4
1.2.1 Digestive system	4
1.2.2 Toxicokinetics and –dynamics of PAs	5
1.2.3 Metabolism of PAs	6
1.2.4 Induction of PA-mediated hepatotoxicity	9
1.3 Genotoxic and carcinogenic effects of PAs	9
1.4 The lung and PA-induced pneumotoxic effects	11
1.4.1 The lung	11
1.4.2 PA-induced pneumotoxic effects	12
1.5 Risk assessment of PAs	12
2. Objectives	14
3. Summary of results	15
3.1 Uptake and organ-specific degradation of different PAs	15
3.2 Mechanisms of PA-induced genotoxicity	16
3.3 PA-induced lung toxicity in vivo	16
4. Publication ‘Uptake and organ-specific degradation of different PAs’	17
4.1 Introduction	18
4.2 Materials and Methods	19
4.2.1 Chemicals	19
4.2.2 Cell culture	19
4.2.3 Incubation of PAs with microsomes and recombinant human microsomes	20
4.2.4 LC-MS/MS	20
4.2.5 Detection of apoptosis	21

4.2.6	Statistics	21
4.3	Results	22
4.3.1	Intestinal transfer rate of PAs is structure-dependent	22
4.3.2	Human intestinal microsomes do not significantly degrade PAs	23
4.3.3	Human liver microsomes reduce the concentration of PAs in a structure-dependent manner	23
4.3.4	Human lung microsomes induce reduce the concentration of PAs in a structure-dependent manner	24
4.3.5	Human liver and lung microsomes can bioactivate lasiocarpine and monocrotaline to induce apoptosis in A549 cells	25
4.3.6	CYP3A4 is the most important CYP enzyme metabolizing lasiocarpine	28
4.4	Discussion	28
	References	31
5.	Publication 'Mechanisms of PA-induced genotoxicity'	35
5.1	Introduction	36
5.2	Material and methods	39
5.2.1	Chemicals	39
5.2.2	Cell culture	39
5.2.3	Neutral red uptake	40
5.2.4	γ -H2AX immunofluorescence staining and microscopy	40
5.2.5	Comet assay	41
5.2.6	Cell cycle analysis	41
5.2.7	Micronucleus assay	42
5.2.8	Fluorescence in situ hybridization	42
5.2.9	Statistics	43
5.3	Results	43
5.3.1	Diester-type PAs have more pronounced cytotoxic effects than the monoester-type PAs	43
5.3.2	All investigated PAs have no significant effect on induction of DNA single- or double-strand breaks	47
5.3.3	Incubation with PAs affects cell cycle progression	48
5.3.4	Open-chained diesters and cyclic diesters (except Mc) induce formation of micronuclei	50

5.4	Discussion	52
	References	55
6.	Publication 'PA-induced lung toxicity in vivo'	61
6.1	Introduction	62
6.2	Material and methods	63
6.2.1	Chemicals	63
6.2.3	In vivo study	63
6.2.4	Gene expression analysis	64
6.3	Results	65
6.3.1	Body weight, organ weight and histopathological examination	65
6.3.2	Transcriptomics analysis in the lung	65
6.3.3	Transcriptomics analysis in the kidney	71
6.3.4	Comparison with the liver	71
6.4	Discussion	73
	References	74
7.	Summarizing discussion	81
7.1	Structure-dependent metabolism of PAs and the influence on the toxicological effect strength	81
7.2	Structure-dependent uptake of PAs	84
7.3	PA-induced induction of micronuclei and alteration in the cell cycle	85
7.4	Transcriptomic data as tool for the detection of early PA-mediated effects	86
7.5	Critical assessment of the test systems used	87
7.6	Risk assessment	88
7.7	Conclusion	89
8.	Future perspectives	90
9.	References	91
	Appendix	108
	Appendix I: Supplemental material of chapter 4 'Uptake and organ-specific degradation of different PAs'	108
	Appendix II: Supplemental material of chapter 5 'Mechanisms of PA-induced genotoxicity'	109
	Appendix III: Supplemental material of chapter 6 'PA-induced lung toxicity in vivo'	111
	List of publications	126

Published peer-reviewed articles	126
Congress contributions	126
Acknowledgments	128