

Table of contents

| | |
|---|------|
| Acknowledgements | i |
| Abstract..... | iii |
| Zusammenfassung..... | iv |
| Abbreviations and Symbols | v |
| Publications and Conference Abstracts..... | vii |
| Table of contents | viii |
| Chapter 1 Introduction..... | 1 |
| 1.1 Photochromism | 1 |
| 1.1.1 Characterization method | 2 |
| 1.1.2 Classification..... | 5 |
| 1.2 Hemithioindigo..... | 9 |
| 1.2.1 Structure and Characterization | 9 |
| 1.2.2 Synthesis methods | 13 |
| 1.2.3 Applications | 14 |
| 1.3 Triarylamine | 16 |
| 1.3.1 Structure and Characterization | 16 |
| 1.3.2 TAA architectures for D-A structure dyes in DSSC..... | 17 |
| 1.3.3 TAA architectures for D-A structure in two-photon absorption (2PA) materials..... | 19 |
| 1.3.4 TAA architectures for photoswitchable molecular units | 20 |
| Chapter 2 Aims and Strategy | 22 |
| 2.1 Aims | 22 |
| 2.2 Strategy..... | 22 |
| Chapter 3 <i>N,N'</i> - diarylamine functionalized in the thioindigo part | 24 |
| 3.1 Proposed synthetic route | 24 |

| | |
|--|----|
| 3.1.1 Synthesis of the <i>N,N'</i> -diarylamine-substituted thiophenol | 25 |
| 3.1.2 Synthesis of the <i>N,N'</i> -diarylamine-substituted thioindoxyl by Friedel-Crafts acylation..... | 32 |
| 3.1.3 Synthesis of HTI1 | 35 |
| 3.2 Photochemical study | 36 |
| 3.2.1 Absorption and Fluorescence spectra | 37 |
| 3.2.2 Photoisomerization | 39 |
| 3.3 Discussion..... | 43 |
| 3.3.1 The O ₂ effect on the fluorescence emission | 43 |
| 3.3.2 The structure-property relationships of HTI1 | 44 |
| 3.4 Conclusion..... | 46 |
| Chapter 4 <i>N,N'</i> -diarylamine functionalized in the stilbene part | 47 |
| 4.1 Synthesis..... | 47 |
| 4.2 Photochemical study | 48 |
| 4.2.1 Absorption and Fluorescence spectra | 49 |
| 4.2.2 Photoisomerization | 53 |
| 4.3 Discussion..... | 60 |
| 4.3.1 The structure-property relationship between the <i>N,N'</i> -diarylamine functional group and the parent HTI | 60 |
| 4.3.2 The additional substitution effect | 61 |
| 4.3.3 Solvent effect on the thermally back isomerization | 63 |
| 4.3.4 Twisted intramolecular charge transfer (TICT) formation | 64 |
| 4.3.5 The modified photochromism of 5Me-HTI-TPA-R..... | 65 |
| 4.4 Conclusion..... | 66 |
| Chapter 5 Bi-functionalized in Hemithioindigo..... | 67 |
| 5.1 Synthesis of 4-/6- Br-HTI-TPA-R (R = OMe, H, Br and CN)..... | 67 |
| 5.2 Photochemical study | 68 |
| 5.2.1 Absorption and Fluorescence spectra | 69 |
| 5.2.2 Photoisomerization | 73 |
| 5.3 Discussion..... | 79 |

| | |
|--|-----|
| 5.3.1 The nature and position of Br-substitution effect in the thioindigo part | 79 |
| 5.3.2 How to promote TICT formation | 82 |
| 5.3.3 The photochromism of bi-functional HTI6-13 | 83 |
| 5.4 Conclusion..... | 84 |
| Chapter 6 Summary and Outlook..... | 86 |
| Chapter 7 Experimental section | 90 |
| 7.1 General information | 90 |
| 7.2 Experimental procedures..... | 92 |
| 7.3 Photochromic property studies | 119 |
| 7.4 Spectroscopy data | 123 |
| Chapter 8 Appendix..... | 154 |
| Reference | 173 |