Table of Contents

1 Chapter 1: Introduction	1
1.1 The spatial dimension of street commerce	1
1.2 Research question	4
1.3 Research design	4
1.4 Study organization	7
2 Chapter 2: Reference case: the street as a workplace for street vendors in Egy	pt8
2.1 Method	8
2.2 Results	8
2.2.1 Activity's potential for employment creation	8
2.2.2 Spatial policies on the commercial use of the street	9
2.2.3 Planning approach to street design	13
2.3 Conclusion	18
3 Chapter 3: Case studies introduction and locational analysis	20
3.1 Method	20
3.2 Results	20
3.2.1 Alexanderplatz	20
3.2.2 Boxhagener Platz	22
3.2.3 Ernst-Reuter Haus car parking	22
3.2.4 Leopoldplatz	23
3.2.5 Genter Str. 40 parking lot	23
3.2.6 Hermannplatz	24
3.2.7 Market at Mauerpark	25
3.3 Conclusion	26
4 Chapter 4: Variety	28
4.1 Factor Introduction	28
4.2 Method	28
4.3 Results	29
4.3.1 Place's primary and secondary activities	29
4.3.2 User groups and reasons of place use	47
4.4 Conclusion	48
5 Chapter 5: Robustness	50
5.1 Factor introduction	50
5.2 Method	50
5.3 Results	50

5.3.	1 Spatial conflicts with transport use.	. 51
5.3.2	2 Spatial conflicts with traffic use.	. 58
5.3.3	3 Spatial conflicts with car parking where parking is a site's primary function	. 59
5.3.4	4 Spatial conflicts with sidewalk's activities	. 61
5.3.	5 Spatial conflicts with recreational uses	. 64
5.3.0	6 Spatial conflicts with commercial uses	. 66
5.3.	7 Spatial conflicts with residential uses	. 67
5.3.8	8 Spatial conflicts with institutional (office) activities	. 69
5.3.9	Special spatial status of Mauer marketplace as a privately operated public space69	ce.
5.3.	10 Summing up: Site's basic infrastructure	. 70
5.4	Conclusion	. 74
6 Chap	ter 6: Legibility (readability/clarity)	. 75
6.1	Factor introduction	. 75
6.2	Method	. 75
6.3	Results	. 76
6.3.	1 Marketplace's self-explanatory image	. 76
6.3.2	2 Less visual homogeneity of the surroundings by the effect of active edges	. 78
6.3.2 frontages an	3 Less visual homogeneity of the surroundings by the effect of distinguishable didentifiable districts	. 80
6.3.4	Less visual homogeneity of the surroundings by the effect of open edges	. 82
6.3.5 impaired	5 Kinetic navigation as a tool for reading the built environment by the visually 91	
6.3.0	6 City development model as a conceptual explanation behind Berlin's legibility	y 92
6.4	Conclusion	. 94
7 Chap	eter 7: Visual appropriateness	. 95
7.1	Factor introduction	. 95
7.2	Method	. 95
7.3	Results	. 95
7.3. possible.	1 Marketplaces seem appropriate as truly public spaces to as many people as 95	
7.3.2	2 Marketplaces seem appropriate as safe places for as many people as possible.	. 98
7.3.3	Marketplaces seem appropriate as inviting places to as many people as possible 100	le.
7.3.4	4 Marketplaces seem appropriate as inclusive to as many people as possible	101
7.3.5		
vitality to as	many people as possible	102

7.3.6 Public spaces seem appropriate as common grounds for various activities to many people as possible	
7.3.7 Marketplaces seem appropriate as distinctive to as many people as possible.	. 103
7.3.8 Marketplaces seem appropriate as usable to a wide range of users	. 104
7.3.9 Marketplaces seem appropriate as places not cheap in image and low in statu	s to
as many people as possible.	. 105
7.3.10 Marketplaces seem appropriate as not overpopulated to as many people as possible 106	
7.4 Conclusion	. 107
8 Chapter 8: Richness	. 108
8.1 Introduction	. 108
8.2 Method	. 108
8.3 Results	. 108
8.3.1 Seeing-related experiences	. 108
8.3.2 Motion-related experiences	. 111
8.3.3 Hearing-related experiences	. 112
8.3.4 Smelling- and touching-related experiences	. 113
8.4 Conclusion	. 114
9 Chapter 9: Permeability	. 115
9.1 Introduction	. 115
9.2 Method	. 115
9.3 Results	. 116
9.3.1 Quality of connections to markets using public transport	. 116
9.3.2 Quality of connections to markets using walking as a transport mode	. 117
9.4 Conclusion	. 124
10 Chapter 10: Personalization	. 125
10.1 Factor introduction	. 125
10.2 Method	. 125
10.3 Results	. 125
10.3.1 Street design management	. 125
10.3.2 Public space management	. 131
10.4 Conclusion	. 133
11 Chapter 11: Putting it all together: principles underlying quality street design	. 134
11.1 Principle #1: Allocate space for each street use.	. 134
11.2 Principle #2: Balance competing spatial demands taking into consideration	
rtivity's significance to communities	135

accordingly.	Principle #3: Understand primary causes of spatial encroachments, so that 137	to act
11.4	Principle #4: Design at small-scale and in context.	138
11.5	Principle #5: Design at a human-scale	139
11.6 whether the v	Principle #6: Design from a problem-solving perspective (this principle weak rule of law is the cause of encroachments)	
11.7 the street-spa	Principle #7: Design in the light of visions and guided by institutional ce design practice.	•
11.8 service delive	Principle #8: Ensure a strong public dimension in public space manage ery since place design and management do not work independently	
11.9 models before	Principle #9: Conceptualize and operationalize (foreign) urban concept e implementation.	
11.10	Conclusion	143
	Conceptualization and operationalization of Berlin's marketplace model in 144	ı local
12.1	Conceptualization of spatial features	144
12	.1.1 Variety	144
12	.1.2 Robustness	145
12	.1.3 Legibility	146
12	.1.4 Visual appropriateness	148
12	.1.5 Richness	148
12	.1.6 Personalization	148
12	.1.7 Permeability	148
12.2	Operationalization of Berlin's marketplace model in local contexts	149
12	.2.1 How could the model's regulations be enforced?	149
12	2.2.2 How is the site's maintenance and management financed?	150
12	.2.3 How much street vending is enough?	151
12.3	Reading Berlin's marketplace in comparison to Egypt's formal spatial	
arrangement	for street vending in new cities.	152
13 (Conclusion / Thesis	154
13.1	Part one thesis about street vending and the street's physical design	154
13.2 Egypt's city of	Part twolinking thesis about street vending and the street's physical development question.	•
14 F	References	161
15 A	Appendices	171
15.1	Appendix A: Methodology	171
15.2	Appendix B: Large-scale development in Egypt	179

	15.3	Appendix C: Common rules in market orders of Berlin's public street mark 181	tets.
	15.4	Appendix D: Excerpt of laws.	183
List of f	igures.		
Figure 2	.1 Spatia	al conflicts resulting from unregulated commercial use of street space	11
Figure 2	.2 Spatia	al encroachment of businesses on the street continues in new towns	12
Figure 2	.3 Street	under-design	15
Figure 2	.4 Spatia	al encroachment of the upper middle-income class on street-space	16
Figure 2	.5 Lacki	ng planning and design vision for street as a public space	18
Figure 3	.1 Alexa	nderplatz	21
Figure 3	.2 Boxha	agener Platz	22
Figure 3	.3 Ernst-	-Reuter Haus car parking	23
		oldplatz and Genter Str. 40 car parking lot	
Figure 3	.5 Herm	annplatz	25
Figure 3	.6 Marke	et at Mauerpark	26
Figure 4	.1 Stand	ard sales stall	31
Figure 4	.2 Other	types of sales facilities	32
Figure 4	.3 Surfac	ce quality of circulation lanes in marketplaces	37
Figure 4	.4. Seati	ng options at marketplaces.	38
Figure 4	.5 Dinin	g spaces at marketplaces	39
Figure 4	.6 Powe	r supply structures at marketplaces	40
Figure 4	.7 Water	supply structures at marketplaces	41
Figure 4	.8 Sanita	ation structures at marketplaces.	42
Figure 4	.9 Loadi	ng/unloading activity at marketplaces	44
Figure 4	.10 Bike	parking activity at marketplaces.	45
Figure 4	.11 Plac	e management activity at marketplaces.	45
Figure 5	.1 Segre	gation of marketplaces from carriageways	53
Figure 5	.2 Proble	ematic user behavior.	53
Figure 5	.3 Simul	taneous use of tools provides effective segregation at Leopoldplatz	54
Figure 5	.4 Trans	port structures overlap with the marketplace at Alexanderplatz	55
Figure 5	.5 Tram	railway and station within Alexa's plaza	56
Figure 5	.6 Legib	ility of amenities	56
Figure 5	.7 Alloc	ation of activities on sub-places at Hermannplatz	58
Figure 5	.8 Visua	l and physical separation of access routes from marketplace within	
Alexand	erplatz		59
Figure 5	.9 Soft d	lifferentiation of sub-places	59
Figure 5	.10 Farn	ner market at Genter Str. 40 parking lot	61
Figure 5	.11 Publ	ic market at Boxhagener Platz	62
Figure 5	.12 Bus	stop at Boxhagener Platz.	63
Figure 5	.13 Publ	ic market at Ernest-Reuter park lot.	63
Figure 5	.14 Posi	tions of seats in relation to both the street and the marketplace indicate	
pursued	type of 1	ecreation	65

Figure 5.15 Residential garbage on street space.	67
Figure 5.16. Berlin's Hof.	68
Figure 5.17 Spatial arrangements for proper garbage collection.	69
Figure 5.18 Flea market at Mauer park	70
Figure 5.19 Typical marketplace infrastructure	72
Figure 5.20. Physical modifiability of sites.	73
Figure 6.1 Marketplace legibility	76
Figure 6.2 Street legibility across the city.	77
Figure 6.3 Sidewalk's legibility and order are not disrupted by commercial uses	79
Figure 6.4 Diversified facades in Berlin.	
Figure 6.5 Fencing around public spaces in Berlin	83
Figure 6.6 Fencing around residential developments in Berlin.	84
Figure 6.7 Neighboring laws regulating fencing.	
Figure 6.8 Open river edge.	
Figure 6.9 Effect of rail bridge on street legibility.	87
Figure 6.10 Effect of rapid railway (Ringbahn) on street legibility.	
Figure 6.11 Effect of rapid railway (Stadtbahn) on street legibility	90
Figure 6.12 Effect of motorway on street legibility	
Figure 6.13 Street legibility for the visually impaired	
Figure 7.1 Truly public spaces.	
Figure 7.2 Safe public spaces	99
Figure 7.3 Inviting public spaces.	
Figure 7.4 Inclusive public spaces.	101
Figure 7.5 Usable public spaces	105
Figure 7.6 Agreeable marketplace image.	106
Figure 8.1 Visual richness achieved by place identity	109
Figure 8.2 Visual richness obtained by interplay between interfaces	109
Figure 8.3 Combining aesthetics with multifunctionality	
Figure 8.4 Dimensions of case sites (marketplace is a part of whole site)	111
Figure 8.5 Intense interaction resulting from modest dimensions	112
Figure 8.6 Skillful treatment of large-dimensioned spaces	112
Figure 8.7 Acoustic richness	113
Figure 9.1 Street-design solutions to good pedestrian environments.	118
Figure 9.2 (some) street-design solutions to illegal car parking	
Figure 9.3 Streets are designed to help cleaning vehicles carry out their task	121
Figure 9.4 Exceptions to street-level crossing facilities.	121
Figure 9.5 Street-design solution to safe crossing over tram trackways	
Figure 9.6 Street-design solution to provide safe access to platforms placed in center of	
streets.	
Figure 9.7 Street-design solution to ensure clearance of sightline for drivers	
Figure 9.8 Street-design solution to force vehicles slowdown where necessary	
Figure 10.1 Design control does not restrict image distinctness.	
Figure 12.1 Local sales facilities in Egypt	
Figure 12.2 Courtyard in Nubian local architecture.	

· ·	to achieve spatial enclosure in Egypt.	
Figure 12.4 Aswa	n's local image missed in the physical design of New Aswan	148
Figure 12.5 Large	e roundabouts and potential functions	149
List of tables		
List of tables		
Table 4.1 Rentals	of few weekly markets in 2019 including taxes (19%) per marketplace	.35
Table 7.1 Example	les of SMEs engaging in the market activity	102
Table 9.1 Walkin	g distances between marketplaces and nearby stops	116
Table 11.1 Princip	ples underlying quality street planning and design	134
Table 12.1 Appro	eximate number of vendors per marketplace	151
Table 13.1 Summ	nary of final recommendations.	158
Abbreviations		
Alexa	Alexanderplatz. "Alexa" refers to the marketplace hosted at the publ space "Alexanderplatz".	lic
Boxa	Boxhagener. "Boxa" refers to the marketplace hosted at the public space "Boxhagener".	ce
Ernst-Reuter	Ernst-Reuter Haus car parking. "Ernst-Reuter" refers to the marketplan hosted at the parking lot.	ce
Leo	Leopoldplatz. "Leo" refers to the marketplace hosted at the public space	.ce
Conton	"Leopoldplatz".	
Genter	Genter str. 40 parking lot. "Genter" refers to the marketplace hosted at the parking lot.	
Mayor		ha
Mauer	Market at Mauerpark. "Mauer" refers to the marketplace hosted at the Mauerpark.	116
NUCA	New Urban communities Authority (in Egypt).	